

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1270	charg\$3 same usb	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/02 09:14
S2	561	(charg\$3 with battery) same usb	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/22 18:02
S3	15	(charg\$3 with battery) same usb and (455/572.ccls. 455/573.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/23 13:04
S4	84719	charg\$3 with (input output) with voltage	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/23 13:04
S5	98	S4 and (455/572.ccls. 455/573.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/23 13:10
S6	3	S4 and (455/572.ccls. 455/573.ccls.) and usb	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/23 13:05
S7	98	S4 and (455/572.ccls. 455/573.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/23 13:11
S8	16963	charg\$3 with (removab\$2 detach\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/30 08:42
S9	59	S8 and (455/572.ccls. 455/573.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/30 08:19
S10	2153	charg\$3 with (removab\$2 detach\$4) with battery	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/30 09:16

S11	42	S10 and (455/572.ccls. 455/573. ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/30 08:43
S12	164381	charg\$3 same battery	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/30 08:43
S13	465	S12 and (455/572.ccls. 455/573. ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/30 09:16
S14	27	S13 and latch	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/30 09:04
S15	20	("4353502" "4656655" "4885766" "4972457" "5109402" "5136229" "5436625" "5490200" "5548635" "5612683" "5646605" "5716230" "5815557" "5832388").PN. OR ("6192236" "6385468").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/11/30 09:12
S16	19278	charg\$3 with (removab\$2 detach\$4 interchange\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/30 09:16
S17	64	S16 and (455/572.ccls. 455/573. ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/30 10:51
S18	1265	(latch\$3 with clip) same recess	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/30 10:57
S19	0	S18 and (455/572.ccls. 455/573. ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/30 10:52
S20	4	S18 and ("455"/\$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/30 10:52

S21	195	(latch\$3 with clip) same cord	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/30 10:58
S22	1	(latch\$3 with clip) same cord and "455"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/30 11:03
S23	59	(latch\$3 same cord) and "455"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/30 11:13
S24	4	(latch\$3 same cord same clip) and "455"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/30 11:00
S25	15	(latch\$3 with cord) same (spring clip) and "455"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/30 11:05
S26	12	(latch\$3 with (spring clip)) same cord and "455"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/30 11:06
S27	301	(latch\$3 same (wire cable)) and "455"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/30 11:16
S28	13	(latch\$3 same (wire cable)) same clip and "455"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/30 11:14
S29	78	(latch\$3 same (wire cable)) same (remov\$4 detach\$4 interchange\$4) and "455"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/30 13:50
S30	19022	(latch\$3 same (wire cable)) same (remov\$4 detach\$4 interchange\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/30 13:51

S31	6110	(latch\$3 with (wire cable)) same (remov\$4 detach\$4 interchange\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/30 13:51
S32	887	(latch\$3 with (wire cable)) same ((remov\$4 detach\$4 interchange\$4) with spring)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/30 14:22
S33	6	(latch\$3 with (wire cable)) same ((remov\$4 detach\$4 interchange\$4) with spring) and ("455"/\$.ccls. "370"/\$.ccls. "379"/\$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/30 14:18
S34	43	(latch\$3 with (wire cable)) same ((remov\$4 detach\$4 interchange\$4) with spring) and ("439"/\$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/30 14:19
S35	273	(latch\$4 with mechanism) and ("455"/\$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/30 14:23
S36	1	(latch\$4 with mechanism) with (cord wire) and ("455"/\$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/30 14:23
S37	25	(latch\$4 with mechanism) same (cord wire) and ("455"/\$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/30 14:26
S38	44	(latch\$4 with spring) same (cord wire) and ("455"/\$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/30 14:27
S39	105	(latch\$4 with spring) same (cord wire) and ("379"/\$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/30 14:28
S40	28952	(latch\$4 with (recess groove cavity)) same spring	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/30 14:29

S41	74	(latch\$4 with (recess groove cavity)) same spring and ("370"/\$.ccls. "455"/\$.ccls. "370"/\$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/30 14:29
S42	3184	latch\$4 same (recess cavity groove) same post same spring same post same pin	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/01 14:05
S43	11	S42 and ("455"/\$.ccls. "379"/\$.ccls. "370"/\$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/01 14:51
S44	762	(latching adj mechanism) with recess	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/01 14:51
S45	1	S44 same (spring adj clip)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/01 17:13
S46	281	S44 same (spring)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/01 14:52
S47	5527	latch\$4 with (L adj shaped)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/01 17:13
S48	5527	latch\$4 with (L adj shaped)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/01 17:13
S49	415	latch\$4 with (L adj shaped) same (cord wire)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/01 17:15
S50	22	latch\$4 with (L adj shaped) with guide same (cord wire)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/01 17:20

S51	2081	plug with (L adj shaped)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/01 17:20
S52	282	plug with (L adj shaped) same (cord wire)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/01 18:56
S53	18625	(L adj shaped) same (cord wire)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/01 18:56
S54	163	(L adj shaped) same (cord wire) and ("455"/\$.ccls. "379"/\$.ccls. "370"/\$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/01 19:09
S55	12	((L adj shaped) with bar) same (cord wire) and ("455"/\$.ccls. "379"/\$.ccls. "370"/\$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/01 19:20
S56	4	((L adj shaped) with plug) same (cord wire) and ("455"/\$.ccls. "379"/\$.ccls. "370"/\$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/01 19:11
S57	91	((L adj shaped) with plug) same (cord wire) and ("439"/\$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/01 19:15
S58	0	((L adj shaped) with plug with guide) same (cord wire) and ("439"/\$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/01 19:15
S59	7	((L adj shaped) with plug with guide) same (cord wire)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/01 19:16
S60	2745	plug with guide same (cord wire)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/01 19:16

S61	42	plug with guide same (cord wire) and ("455"/\$.ccls. "370"/\$.ccls. "379"/\$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/01 19:16
S62	0	((L adj shaped) with guide with plug) same (cord wire) and ("455"/\$.ccls. "379"/\$.ccls. "370"/\$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/01 19:21
S63	5	((L adj shaped) with guide) same (cord wire) and ("455"/\$.ccls. "379"/\$.ccls. "370"/\$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/01 19:21
S64	966	((L adj shaped) with guide) same (cord wire)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/01 19:21
S65	30	((L adj shaped) with guide) same (cord wire) and "439"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/01 19:21
S66	6882	connector with (L adj shape\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/02 09:14
S67	1087	connector with (L adj shape\$1) same (plug wire)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/02 09:15
S68	35	connector with (L adj shape\$1) with guide same (plug wire)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/02 09:19
S69	10	connector with (L adj shape\$1) same (wire cord) and ("455"/\$.ccls. "370"/\$.ccls. "379"/\$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/02 09:21
S70	716	connector with (L adj shape\$1) same (wire cord)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/02 09:25

S71	27	(plug connector) with charger same (L adj shape\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/02 09:28
S72	73	(plug connector) with charger with guide	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/02 09:28